

MILLARD
CARAVANS




Your ticket to *freedom* since 1947

TOURA - X

Toura X 2026 Specifications


The Trusted name for 79 years

Couples Van Layouts




TX167CDQBBS

External Body Length: 5190mm Overall Height: 3291mm
 Overall External Length: 7712mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX175RDQBBS

External Body Length: 5435mm Overall Height: 3291mm
 Overall External Length: 7957mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX176CDQBLL

External Body Length: 5485mm Overall Height: 3291mm
 Overall External Length: 8007mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX191CDQBDS

External Body Length: 5920mm Overall Height: 3291mm
 Overall External Length: 8442mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX192RDQBDS

External Body Length: 5970mm Overall Height: 3291mm
 Overall External Length: 8492mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX197CDQBSC

External Body Length: 6110mm Overall Height: 3291mm
 Overall External Length: 8632mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX199RDQBSC

External Body Length: 6160mm Overall Height: 3291mm
 Overall External Length: 8682mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX209RDQBSC

External Body Length: 6480mm Overall Height: 3291mm
 Overall External Length: 9002mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX209CDQBSC

External Body Length: 6480mm Overall Height: 3291mm
 Overall External Length: 9002mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX216CDQBLL

External Body Length: 6685mm Overall Height: 3291mm
 Overall External Length: 9207mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX216CDQBFC






External Body Length: 6685mm Overall Height: 3291mm
 Overall External Length: 9207mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX219RDQBRC

External Body Length: 6785mm Overall Height: 3291mm
 Overall External Length: 9307mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre

Decal Colours

	WHITE	Silver	CHARCOAL	DARK GREY	Green
 Charcoal Ash					
 Havana Orange					
 Lotus Green					
 Lake Blue					
 Dringite					
	TOURA-X	TOURA-X	TOURA-X	TOURA-X	TOURA-X

Specifications - Single Axle

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Door Position Reference	CD	RD	CD
Seating Arrangement - Centre Door	Bench Seat	Bench Seat	L-Lounge
Other Seating Options	NA	NA	Bench Seat
Captain Chairs	NA	NA	NA
Single Beds (seating change to Side Club)	NA	NA	NA
Dimensions (Nominal) - all dimensions in mm			
External Body Length	5190	5435	5485
External Length (End Coupling to Outer Spare Tyre)	7712	7957	8007
External Height (Ground to Top of AC Unit)- Variable	3291	3291	3291
External Width includes all protruding fixtures	2500	2500	2500
Internal Length	5080	5325	5375
Internal Height	2010	2010	2010
Internal Width	2285	2285	2285
ATM (kgs)	3000	3000	3000
<i>Note : Indicative lengths are standard configuration, any additional options or variations could change these figures</i>			
Construction			
Alko Engineered Flat Floor- Infill Truss Chassis, Galvanized	•	•	•
Options: SuperGal Painted Charcoal or Enduro Finish (Rubberized Coat)	o	o	o
Alko Chassis Construction:			
Extended Aframe (steel 6" x 2"x 3.0mm) C450	1800mm	1800mm	1800mm
Extended Aframe (steel 6" x 2"x 5.0mm) C450			
Truss Main Bearers Top: 75x50x2.5mm Grade C350	•	•	•
Truss Main Bearers Bottom: 75x50x3.0mm Grade C350	•	•	•
Aluminium Wall Frame	•	•	•
Full Piece Composite Roof: 5 Colour Options	•	•	•
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frame Structure, routed for electrical cabling	•	•	•
Engineered Internal Fibreglass Walls	•	•	•
Hybrid Engineered Flooring: 56mm (Composite + Honeycomb)	•	•	•
42mm One Piece XPS Insulated Aluminium Outer Roof (Internal Finish Semi Gloss White Fibreglass)	•	•	•
Aluminium Composite Panel : 5 Colour Options	•	•	•

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Construction			
Cruisemaster Single ATX 3.0T Air Level 3 12 inch Electric Brakes	•	•	•
Cruisemaster Tandem ATX 4.5T Air Level 3 12 Inch Electric Brakes	NA	NA	NA
DO35 Coupling	•	•	•
DO45 V2 HitchMaster Coupling with Heavy Duty Chains	NA	NA	NA
Recovery Points at Rear of Chassis, each Side	•	•	•
Exterior			
265/75 R17 All Terrain Tyres on Black Rims Includes One Spare Wheel	•	•	•
Black Checker Plate, approx 770mm on sides	•	•	•
Printed Decals Choice of 5 colours	•	•	•
Picnic Table	•	•	•
External TV Box (includes TV Bracket + Power Point + Fusion SXR400 Marine Stereo)	•	•	•
Fusion Panel Speaker	•	•	•
Global External Awning	•	•	•
Double Manual Entry Step with LED Strip Light	•	•	•
Entry Door Grab Handle with Light	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•
Three Arm Bumper Integrated Storage Compartments and Jerry Can Holder	•	•	•
Spare Wheel (x1) Stored and Mounted on Rear Bumper Bar	•	•	•
New Wide Aluminium J-Mould 48mm x 53mm with Integrated Sail Track (Drivers Side)	•	•	•
Lockable Vented Louvre Door with Fan Exhaust System Behind the Fridge	•	•	•
Alko 8" Jockey Wheel	•	•	•
Full Width Tunnel Boot - Fibreglass base with Marine Felt Side Walls	•	•	•
Tunnel Boot lighting at Lockable Doors , Both Sides	•	•	•
Checker Plate Large Toolbox with Double Sliders, Shelves and Opening Centre for Gas Bottle Storage	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	NA	•	•

Specifications - Single Axle

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Electrical			
Enerdrive eSYS-ICA-SI-03-M consisting of:	•	•	•
3000W Inverter /Charger / 100A-12V Pure Sinewave Output	•	•	•
40Amp DC2DC Charger	•	•	•
40Amp MPPT Solar Charger x 1	•	•	•
Simarine VIA Digital Switch Control Panel	•	•	•
3 Water Tank Monitoring Sensors	•	•	•
Additional 40Amp MPPT Solar Charger	o	o	o
2 x 200AH B-TEC Enerdrive IP67 Lithium Batteries	•	•	•
Number of Solar Panels - 220Watts Each	X 2	X3	X3
Anderson Plug - DC2DC Battery Charging	•	•	•
Additional Anderson Plug - Portable Solar Panel (Driver Side)	•	•	•
Dexter Anti Sway System (DSC)	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•
King OmniPro Antenna	•	•	•
Starlink Ready: Cosmo Mini Premium	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area) Plus 2 Independent Antenna's	•	•	•
Soft LED strip Lights at: Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC)	•	•	•
Multi Colour Annex Light - Door Side	x2	x2	x2
Multi Colour Annex Light - Driver Side	x1	x1	x1
External Power Point at Picnic Table	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	•	•	•
24" Smart TV	•	•	•
27" Smart TV (Van size > 19ft2)	NA	NA	NA
Tunnel Boot lighting at lockable doors, both sides	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•
Reading Lights: Bedroom x2 , Living x2	•	•	•
External TV Box: 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stereo and External Panel Speaker	•	•	•
Built in Phone Chargers	•	•	•

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Plumbing			
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•
Three Water Tank Sensors	•	•	•
External Mounted Water Pump Under chassis	•	•	•
Fresh Water Tanks: 2 x 95 Litres	•	•	•
Grey Water Tank : 1 x 110 Litres	•	•	•
External Shower	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•
Two 9kg Gas Bottles Stored Internally within the Toolbox	•	•	•
External Gas Bayonet Fitting	•	•	•
Global 28Litres Gas and Electric Hot Water System	•	•	•
Global Eberspacher Diesel Heater (2.2KW)	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•
Protection over PVC Drainage Pipes	•	•	•
Thetford C263CS Ceramic Toilet	•	•	•
Ensuite / Bathroom			
Separate Shower & Toilet	•	•	•
Fully Moulded One Piece Large Shower Cubicle, Acrylic Shower Door	•	•	•
Sliding Door at Ensuite Entrance (Model Dependent)	•	•	•
Ceramic Swivel Toilet	•	•	•
Mixer Taps Basin, Shower	•	•	•
Single Internal Towel Rail	•	•	•
Exhaust Fan Hatch in Shower	•	•	•
Bathroom Window Above Toilet	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	NA	NA
Wall Hung 3.0kg Washing Machine	•	•	•
Vanity Mirror Above the Basin	•	•	•

Specifications - Single Axle

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Kitchen			
Dual Induction Cooktop (Portable)	•	•	•
White Aluminium Kitchen Splashback	•	•	•
Three-way Filter Tap	•	•	•
Camec Multifunction Microwave - 28L (Functions: Microwave / Air Fryer / Convection Oven / Griller)	•	•	•
Dometic 180 Litre RUC Compressor 6508X Dual Hinged	•	•	•
Dometic 216 Litre RUC Compressor 8508X Dual Hinged	NA	NA	NA
Slimline RangeHood	•	•	•
Global Eberspacher Reverse Cycle 3.5KW Air Conditioner	•	•	•
Living Seating Area			
Padding Over Entry Door and Roof Mounted LED	•	•	•
Exclusive Designed Seating with side Leg Support	NA	NA	•
Heavy Duty Vinyl Flooring available in 8 colours	•	•	•
Exclusive Designed Map / Magazine and Key holder	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•
Bedroom			
Exclusive Designed Full Size Bedhead	•	•	•
Luxury Foam Mattress	•	•	•
Exclusive Millard Aluminium Bed Frame, Adjustable Bed - Head Elevation	Corner Bed	Corner Bed	•
Roof Hatch with Lights	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•
Side Tables with Soft LED lighting	•	•	•
Built In Phone Charger	•	•	•
Cabinetry			
CNC Cabinetry throughout the Entire Van	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•
White Aluminium Kitchen Splashback	•	•	•
Gas Door Struts on Overhead Cup doors	•	•	•
Cutlery Drawer Insert	NA	NA	NA

Model	TX167CDQBBS	TX175RDQBBS	TX176CDQBLL
Range Size : Internal / External	16FT7 / 17FT	17FT5 / 17FT8	17FT6 / 18FT
Safety			
Breakaway Safety System	•	•	•
Fire Extinguisher	•	•	•
Smoke Alarm	•	•	•
External Door with Security Screen and Remote Electrically Operated Blind	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•
Gas Detector	•	•	•
Accessories			
Trial Mate Jack	•	•	•
Exclusive Millard Backpack	•	•	•
Exclusive Millard Umbrella	•	•	•
Exclusive Millard Baseball Cap	•	•	•

Specifications - Tandem Axle

Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Door Position Reference	CD	RD	CD	RD	RD	CD	CD	CD	RD
Seating Arrangement - Centre Door	Dinette	Dinette	Side Club	Side Club	Side Club	Side Club	Front L-Lounge	Front Club	Rear Club
Other Seating Options	L-Lounge	L-Lounge	Dinette or L-Lounge	Dinette or L-Lounge	NA	NA	NA	NA	NA
Captain Chairs	NA	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Single Beds (seating change to Side Club)	Optional	Optional	Optional	Optional	Optional	Optional	NA	NA	Optional

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction									
Alko Engineered Flat Floor- Infill Truss Chassis, Galvanized	•	•	•		•	•	•	•	•
Options : SuperGal Painted Charcoal or Enduro Finish (Rubberized Coat)	o	o	o	o	o	o	o	o	o
Alko Chassis Construction:									
Extended Aframe (steel 6" x 2"x 3.0mm) C450	1800mm	1800mm	1800mm	1800mm					
Extended Aframe (steel 6" x 2"x 5.0mm) C450					1800mm	1800mm	1800mm	1800mm	1800mm
Truss Main Bearers Top: 75x50x2.5mm Grade C350	•	•	•	•	•	•	•	•	•
Truss Main Bearers Bottom: 75x50x3.0mm Grade C350	•	•	•	•	•	•	•	•	•
Aluminium Wall Frame	•	•	•	•	•	•	•	•	•
Full Piece Composite Roof: 5 Colour Options	•	•	•	•	•	•	•	•	•
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frame Structure, routed for electrical cabling	•	•	•	•	•	•	•	•	•
Engineered Internal Fibreglass Walls	•	•	•	•	•	•	•	•	•
Hybrid Engineered Flooring : 56mm (Composite + Honeycomb)	•	•	•	•	•	•	•	•	•

Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Construction									
42mm One Piece XPS Insulated Aluminium Outer Roof (Internal Finish Semi-Gloss White Fibreglass)	•	•	•	•	•	•	•	•	•
Aluminium Composite Panel : 5 Colour Options	•	•	•	•	•	•	•	•	•
Cruisemaster Single ATX 3.0T Air Level 3 12 inch Electric Brakes	NA								
Cruisemaster Tandem ATX 4.5T Air Level 3 12 Inch Electric Brakes	•	•	•	•	•	•	•	•	•
DO35 Coupling	•	•	•	•	NA	NA	NA	NA	NA
DO45 V2 HitchMaster Coupling with Heavy Duty Chains	o	o	o	o	•	•	•	•	•
Recovery Points at Rear of Chassis, each Side	•	•	•	•	•	•	•	•	•
Exterior									
265/75 R17 All Terrain Tyres on Black Rims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•
Black Checker Plate , approx 770mm on sides	•	•	•	•	•	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•
Picnic Table	•	•	•	•	•	•	•	•	•
External TV Box (includes TV Bracket + Power Point + Fusion SXR400 Marine Stereo)	•	•	•	•	•	•	•	•	•
Fusion Panel Speaker	•	•	•	•	•	•	•	•	•
Global External Awning	• + Mid Support Bracket								
Double Manual Entry Step with LED Strip Light	•	•	•	•	•	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•	•	•	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•	•	•	•	•	•	•
Three Arm Bumper Integrated Storage Compartments and Jerry Can Holder	•	•	•	•	•	•	•	•	•
Spare Wheel (x1) Stored and Mounted on Rear Bumper Bar	•	•	•	•	•	•	•	•	•
New Wide Aluminium J-Mould 48mm x 53mm with Integrated Sail Track (Drivers Side)	•	•	•	•	•	•	•	•	•
Lockable Vented Louvre Door with Fan Exhaust System Behind the Fridge	•	•	•	•	•	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•
Full Width Tunnel Boot - Fibreglass base with Marine Felt Side Walls	•	•	•	•	•	•	•	•	•

Specifications - Tandem Axle

Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Exterior									
Tunnel Boot lighting at Lockable Doors , Both Sides	•	•	•	•	•	•	•	•	•
Checker Plate Large Toolbox with Double Sliders, Shelves and Opening Centre for Gas Bottle Storage	•	•	•	•	•	•			
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	•	•	•		•	•			
Electrical									
Enerdrive eSYS-ICA-SI-03-M consisting of:	•	•	•	•	•	•	•	•	•
3000W Inverter /Charger / 100A-12V Pure Sinewave Output	•	•	•	•	•	•	•	•	•
40Amp DC2DC Charger	•	•	•	•	•	•	•	•	•
40Amp MPPT Solar Charger x 1	•	•	•	•	•	•	•	•	•
Simarine VIA Digital Switch Control Panel	•	•	•	•	•	•	•	•	•
3 Water Tank Monitoring Sensors	•	•	•	•	•	•	•	•	•
Additional 40Amp MPPT Solar Charger	o	o	o	o	•	•	•	•	•
2 x 200AH B-TEC Enerdrive IP67 Lithium Batteries	•	•	•	•	•	•	•	•	•
Number of Solar Panels - 220Watts Each	X3	X3	X3	X3	X4	X4	X4	X4	X4
Anderson Plug - DC2DC Battery Charging	•	•	•	•	•	•	•	•	•
Additional Anderson Plug - Portable Solar Panel (Driver Side)	•	•	•	•	•	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•	•	•	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•	•	•	•	•	•	•
King OmniPro Antenna	•	•	•	•	•	•	•	•	•
Starlink Ready: Cosmo Mini Premium	•	•	•	•	•	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area) Plus 2 Independent Antenna's	•	•	•	•	•	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC)	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light - Door Side	x3	x3	x3	x3	x3	x3	x3	x3	x3
Multi Colour Annex Light - Driver Side	x1	x1	x1	x1	x1	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•	•	•	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	•	•	•	•	•	•	•	•	•
24" Smart TV	•	•	NA	NA	NA	NA	NA	NA	NA
27" Smart TV (Van size > 19ft2)	NA	NA	•	•	•	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•	•	•	•	•	•


Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Electrical									
240V Single Power point,USB port in Bedside Nook	•	•	•	•	•	•	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•
Reading Lights: Bedroom x2, Living x2	•	•	•	•	•	•	•	•	•
External TV Box: 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stereo and External Panel Speaker	•	•	•	•	•	•	•	•	•
Built in Phone Chargers	•	•	•	•	•	•	•	•	•
Plumbing									
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•
Three Water Tank Sensors	•	•	•	•	•	•	•	•	•
External Mounted Water Pump Under chassis	•	•	•	•	•	•	•	•	•
Fresh Water Tanks: 2 x 95 Litres	•	•	•	•	•	•	•	•	•
Grey Water Tank: 1 x 110 Litres	•	•	•	•	•	•	•	•	•
External Shower	•	•	•	•	•	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•
Two 9kg Gas Bottles Stored Internally within the Toolbox	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•
Global 28Litres Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•
Global Eberspacher Diesel Heater (2.2KW)	•	•	•	•	•	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•	•	•	•	•	•
Protection over PVC Drainage Pipes	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	•	•	•	•	•	•	•	•	•

Specifications - Tandem Axle

Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Ensuite / Bathroom									
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•
Fully Moulded One-Piece Large Shower Cubicle, Acrylic Shower Door	•	•	•	•	•	NA	•	•	•
Sliding Door at Ensuite Entrance (Model Dependent)	•	•	•	•	•	•	•	•	•
Ceramic Swivel Toilet	•	•	•	•	•	•	•	•	•
Mixer Taps Basin, Shower	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	NA	NA	NA	NA	6Kgs	NA	NA	•
Wall Hung 3.0kg Washing Machine	•	•	•	•	•	NA	•	•	NA
Vanity Mirror Above the Basin	•	•	•	•	•	•	•	•	•
Kitchen									
Dual Induction Cooktop (Portable)	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•
Camec Multifunction Microwave -28L (Functions: Microwave / Air Fryer / Convection Oven / Griller)	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUC Compressor 6508X Dual Hinged	NA	NA	NA	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUC Compressor 8508X Dual Hinged	•	•	•	•	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•
Global Eberspacher Reverse Cycle 3.5KW Air Conditioner	•	•	•	•	•	•	•	•	•
Living Seating Area									
Padding Over Entry Door and Roof Mounted LED	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•	•	•	NA	NA	NA
Heavy Duty Vinyl Flooring available in 8 colours	•	•	•	•	•	•	•	•	•
Exclusive Designed Map / Magazine and Key holder	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	NA	•	•	•	•	•	•	•


Model	TX191CDQBDS	TX192RDQBDS	TX197CDQBSC	TX199RDQBSC	TX209RDQBSC	TX209CDQBSC	TX216CDQBFL	TX216CDQBFC	TX219RDQBRC
Range Size : Internal / External	19FT1 / 19FT4	19FT2 / 19FT6	19FT7 / 20FT	19FT9 / 20FT2	20FT9 / 21FT3	20FT9 / 21FT3	21FT6 / 21FT9	21FT6 / 21FT9	21FT9 / 22FT3
Bedroom									
Exclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	•
Luxury Foam Mattress	•	•	•	•	•	•	•	•	•
Exclusive Millard Aluminium Bed Frame, Adjustable Bed - Head Elevation	•	•	•	•	•	•	•	•	•
Roof Hatch with Lights	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•	•	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•	•	•	•	•	•
Built In Phone Charger	•	•	•	•	•	•	•	•	•
Cabinetry									
CNC Cabinetry throughout the Entire Van	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cup doors	•	•	•	•	•	•	•	•	•
Cutlery Drawer Insert	•	•	•	•	•	•	NA	NA	NA
Safety									
Breakaway Safety System	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•
External Door with Security Screen and Remote Electrically Operated Blind	•	•	•	•	•	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•	•	•	•	•	•
Gas Detector	•	•	•	•	•	•	•	•	•
Accessories									
Trial Mate Jack	•	•	•	•	•	•	•	•	•
Exclusive Millard Backpack	•	•	•	•	•	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•	•	•	•	•	•
Exclusive Millard Baseball Cap	•	•	•	•	•	•	•	•	•

Family Van Layouts




TX178CDQBEWBS

External Body Length: 5485mm Overall Height: 3291mm
 Overall External Length: 8007mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX204CDKBBSSB

External Body Length: 6335mm Overall Height: 3291mm
 Overall External Length: 8857mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX216CDKBLLSB

External Body Length: 6685mm Overall Height: 3291mm
 Overall External Length: 9207mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX229CDQBSCR B

External Body Length: 7085mm Overall Height: 3291mm
 Overall External Length: 9607mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre

Specifications - Family

Model	TX178CDQBEWBS	TX204CDKBSSB	TX216CDKBLLSB	TX229CDQBSCR
Range Size : Internal / External	17FT6 / 18FT	20FT4 / 20FT8	21FT6 / 21FT9	22FT9 / 23FT2
Door Position Reference	CD	RD	CD	CD
Seating Arrangement - Centre Door	Bench Seat	Bench Seat	L-Lounge	Side Club
Dimensions (Nominal) - all dimensions in mm				
External Body Length	5485	6335	6685	7085
External Length (End Coupling to Outer Spare Tyre)	8007	8857	9207	9607
External Height (Ground to Top of AC Unit)- Variable	3291	3291	3291	3291
External Width includes all protruding fixtures	2500	2500	2500	2500
Internal Length	5375	6225	6575	6975
Internal Height	2010	2010	2010	2010
Internal Width	2285	2285	2285	2285
ATM (kgs)	3000	3500	4100	4100

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction				
Alko Engineered Flat Floor - Infill Truss Chassis, Galvanized	•	•	•	•
Options: SuperGal Painted Charcoal or Enduro Finish (Rubberized Coat)	o	o	o	o
Alko Chassis Construction:				
Extended Aframe (steel 6" x 2"x 3.0mm) C450	1800mm	1800mm	1800mm	1800mm
Extended Aframe (steel 6" x 2"x 5.0mm) C450				
Truss Main Bearers Top: 75x50x2.5mm Grade C350	•	•	•	•
Truss Main Bearers Bottom: 75x50x3.0mm Grade C350	•	•	•	•
Aluminium Wall Frame				
Full Piece Composite Roof: 5 Colour Options	•	•	•	•
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frame Structure, routed for electrical cabling	•	•	•	•
Engineered Internal Fibreglass Walls	•	•	•	•
Hybrid Engineered Flooring: 56mm (Composite + Honeycomb)	•	•	•	•
42mm One Piece XPS Insulated Aluminium Outer Roof (Internal Finish Semi Gloss White Fibreglass)	•	•	•	•
Aluminium Composite Panel: 5 Colour Options	•	•	•	•
Cruisemaster Single ATX 3.0T Air Level 3 12 inch Electric Brakes	•	NA	NA	NA
Cruisemaster Tandem ATX 4.5T Air Level 3 12 Inch Electric Brakes	NA	•	•	•
DO35 Coupling	•	•	NA	NA
DO45 V2 HitchMaster Coupling with Heavy Duty Chains	NA	NA	•	•
Recovery Points at Rear of Chassis, each Side	•	•	•	•

Key: • Standard | o Optional | NA Not Available

Specifications - Family

Model	TX178CDQBEWBS	TX204CDKBSSB	TX216CDKBLLSB	TX229CDQBSCR
Range Size : Internal / External	17FT6 / 18FT	20FT4 / 20FT8	21FT6 / 21FT9	22FT9 / 23FT2
Exterior				
265/75 R17 All Terrain Tyres on Black Rims Includes One Spare Wheel	•	•	•	•
Black Checker Plate, approx 770mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External TV Box (includes TV Bracket + Power Point + Fusion SXR400 Marine Stereo)	•	•	•	•
Fusion Panel Speaker	•	•	•	•
Global External Awning	•	• + Mid Support Bracket	• + Mid Support Bracket	• + Mid Support Bracket
Double Manual Entry Step with LED Strip Light	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•	•
Three Arm Bumper Integrated Storage Compartments and Jerry Can Holder	•	•	•	•
Spare Wheel (x1) Stored and Mounted on Rear Bumper Bar	•	•	•	•
New Wide Aluminium J-Mould 48mm x 53mm with Integrated Sail Track (Drivers Side)	•	•	•	•
Lockable Vented Louvre Door with Fan Exhaust System Behind the Fridge	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot - Fibreglass base with Marine Felt Side Walls	•	•	•	•
Tunnel Boot lighting at Lockable Doors, Both Sides	•	•	•	•
Checker Plate Large Toolbox with Double Sliders, Shelves and Opening Centre for Gas Bottle Storage	•	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	NA	•	•	•
Electrical				
Enerdrive eSYS-ICA-SI-03-M consisting of:	•	•	•	•
3000W Inverter / Charger / 100A-12V Pure Sinewave Output	•	•	•	•
40Amp DC2DC Charger	•	•	•	•
40Amp MPPT Solar Charger x 1	•	•	•	•
Simarine VIA Digital Switch Control Panel	•	•	•	•
3 Water Tank Monitoring Sensors	•	•	•	•
Additional 40Amp MPPT Solar Charger	o	o	•	•
2 x 200AH B-TEC Enerdrive IP67 Lithium Batteries	•	•	•	•
Number of Solar Panels - 220Watts Each	X 2	X3	X4	X4
Anderson Plug - DC2DC Battery Charging	•	•	•	•
Additional Anderson Plug - Portable Solar Panel (Driver Side)	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•
Motorised Positive Pressure Dust Reduction System	•	•	•	•
King OmniPro Antenna	•	•	•	•

Model	TX178CDQBEBWS	TX204CDKBBSB	TX216CDKBLLSB	TX229CDQBSCR
Range Size : Internal / External	17FT6 / 18FT	20FT4 / 20FT8	21FT6 / 21FT9	22FT9 / 23FT2
Electrical				
Starlink Ready: Cosmo Mini Premium	•	•	•	•
Fusion Radio Apollo 770 Stereo System Plus Fusion Corner Speakers (2 Bedroom and 2 Seating Area) Plus 2 Independent Antenna's	•	•	•	•
Soft LED strip Lights at: Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC)	•	•	•	•
Multi Colour Annex Light - Door Side	x2	x3	x3	x3
Multi Colour Annex Light - Driver Side	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•
Safety Dave RVDash Kit (6" Dash + Mini Square Camera 92 Degree AHD Black)	•	•	•	•
24" Smart TV	•	NA	NA	NA
27" Smart TV (Van size > 19ft2)	NA	•	•	•
Tunnel Boot lighting at lockable doors, both sides	•	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights: Bedroom x2, Living x2	•	•	•	•
External TV Box: 240V Single Power Point, CIG 12V / Antenna Point Plus Fusion SRX400 Stereo and External Panel Speaker	•	•	•	•
Built in Phone Chargers	•	•	•	•
Plumbing				
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•
Three Water Tank Sensors	•	•	•	•
External Mounted Water Pump Under chassis	•	•	•	•
Fresh Water Tanks: 2 x 95 Litres	•	•	•	•
Grey Water Tank: 1 x 110 Litres	•	•	•	•
External Shower	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•
Two 9kg Gas Bottles Stored Internally within the Toolbox	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•
Global 28Litres Gas and Electric Hot Water System	•	•	•	•
Global Eberspacher Diesel Heater (2.2KW)	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•
Protection over PVC Drainage Pipes	•	•	•	•
Thetford C263CS Ceramic Toilet	•	NA	NA	•
Sanjo Left / Right Hand Toilet (Plastic Bowl)	NA	•	•	NA

Key: • Standard | o Optional | NA Not Available


Specifications - Family

Model	TX178CDQBEWBS	TX204CDKBSSB	TX216CDKBLLSB	TX229CDQBSCR
Range Size : Internal / External	17FT6 / 18FT	20FT4 / 20FT8	21FT6 / 21FT9	22FT9 / 23FT2
Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle, Acrylic Shower Door	•	•	•	•
Sliding Door at Ensuite Entrance (Model Dependent)	•	•	•	•
Thetford Ceramic Swivel Toilet Or Side Toilet Plastic Bowl	•	•	•	•
Mixer Taps Basin, Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•
Wall Hung 3.0kg Washing Machine	•	NA	NA	NA
Vanity Mirror Above the Basin	•	•	•	•
Kitchen				
Dual Induction Cooktop (Portable)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Camec Multifunction Microwave - 28L (Functions: Microwave / Air Fryer / Convection Oven / Griller)	•	•	•	•
Dometic 180 Litre RUC Compressor 6508X Dual Hinged	•	NA	NA	NA
Dometic 216 Litre RUC Compressor 8508X Dual Hinged	NA	•	•	•
Slimline RangeHood	•	•	•	•
Global Eberspacher Reverse Cycle 3.5KW Air Conditioner	•	•	•	•
Living Seating Area				
Padding Over Entry Door and Roof Mounted LED	•	•	•	•
Exclusive Designed Seating with side Leg Support	NA	NA	•	•
Heavy Duty Vinyl Flooring available in 8 colours	•	•	•	•
Exclusive Designed Map / Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	NA

Model	TX178CDQBEWBS	TX204CDKBSSB	TX216CDKBLLSB	TX229CDQBSCR
Range Size : Internal / External	17FT6 / 18FT	20FT4 / 20FT8	21FT6 / 21FT9	22FT9 / 23FT2
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Luxury Foam Mattress	•	•	•	•
Exclusive Millard Aluminium Bed Frame, Adjustable Bed - Head Elevation	Drop Down Bed	King Bed	King Bed	•
Roof Hatch with Lights	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•
Built In Phone Charger	•	•	•	•
Bunks				
Double or Triple Bunks		•	•	•
Sliding Door for Privacy		•	•	•
Nook with Single Power Point plus USB/C Charging Port	FLIP DOWN BED, DOUBLE ONLY	•	•	•
Padded Side Safety Support Enclosure		•	•	•
Curtains per Bunk for Privacy		•	•	•
Reading Lights, USB & SPP per Bunk		•	•	•
External Hatch under Double Bunk	NA	•	•	•
Cabinetry				
CNC Cabinetry throughout the Entire Van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cutlery Drawer Insert	NA	NA	NA	•
Safety				
Breakaway Safety System	•	•	•	•
Fire Extinguisher	•	•	•	•
Smoke Alarm	•	•	•	•
External Door with Security Screen and Remote Electrically Operated Blind	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•
Gas Detector	•	•	•	•
Accessories				
Trial Mate Jack	•	•	•	•
Exclusive Millard Backpack	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•
Exclusive Millard Baseball Cap	•	•	•	•


Key: • Standard | ○ Optional | NA Not Available

Captain Chair Layouts




TX192RDQBCC

External Body Length: 5970mm Overall Height: 3291mm
 Overall External Length: 8492mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX197CDQBCC

External Body Length: 6110mm Overall Height: 3291mm
 Overall External Length: 8632mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX199RDQBCC

External Body Length: 6160mm Overall Height: 3291mm
 Overall External Length: 8682mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




TX209RDQBCC

External Body Length: 6480mm Overall Height: 3291mm
 Overall External Length: 9002mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX209CDQBCC

External Body Length: 6480mm Overall Height: 3291mm
 Overall External Length: 9002mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



TX219RDQBCC

External Body Length: 6785mm Overall Height: 3291mm
 Overall External Length: 9307mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre

Why Buy A Millard?

1. Trusted Name for 79 years
2. **RVMAP accredited** and adheres to relevant Australian Design Rules and Compliance Regulations
3. RVSA (Road Vehicle Safety Act) Compliant
4. Alko Engineered Flat Floor Galvanized Truss Chassis made from 100% Australian Steel
5. **Exclusive** 42mm One Piece XPS Composite Roof with External Aluminium Skin
6. **Exclusive** Hybrid Engineered Flooring: 56mm (Composite + Honeycomb)
7. Aluminium Frame / Aluminium Cladded – No wooden frame to rot
8. Fully Insulated walls with 22mm XPS Moisture Resistant Foam
9. Cruisemaster ATX Air Suspension Level 3
10. 17 Inch Wheels - Standard
11. 12 Inch Electric Brakes - Standard
12. Powered by Enerdrive – **100%** (Power Management System with 2 x 200 AH Lithium Battery all Externally Fitted)
13. Extras as Standard :
 - DO35 / DO45 Coupling (Model Dependent)
 - Dexter Anti Sway
 - External Shower
 - Toolbox
 - Stone Guard
 - Diesel Heater
 - Fusion Surround Sound
 - Starlink
 - 3000 W Invertor
 - Motorised Dust Reduction System
 - Portable Induction Cooktop
 - Multi-Function Microwave (Microwave/Airfryer/Convention Oven/Griller)
14. Exclusive Millard Push Up Aluminium Bed Frame (Model Dependent)
15. Water Pressure Tested for Leaks
16. Australian Made, Australian Owned

*If you haven't considered a Millard,
then you haven't done your homework!*



Your ticket to *freedom*
since 1947

Unit 1/36-42 Orange Grove Road,
Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans     

Trusted name for 79 years

Your Millard Caravans Dealer: