



Your ticket to **freedom** since 1947



*The Trusted name
for 78 years*

X-RIDER

Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Door Position Reference	CD / RD	CD / RD	CD / RD	CD / RD	CD / RD	CD	RD	RD	CD	RD
Standard Seating Arrangement - Centre Door	Dinette	Side Club EW /L- Lounge	Dinette	Dinette	Side Club	Side Club			Side Club	NA
Standard Seating Arrangement - Rear Door	Dinette	Dinette	Dinette	Dinette	side Club	NA	Rear Club	Side Club	NA	Rear Club
Other Seating Options	L-Lounge	L-Lounge RD Only	L-Lounge	L-Lounge	Dinette or L-Lounge	Dinette	Side Club or Dinette	Dinette	Dinette	NA
Captain Chairs	NA	17ft6 EW CD	Optional CD&RD	Optional CD&RD	NA	NA	Optional in Rear Club	NA	NA	Optional in Rear Club
Single Beds (seating change to Side Club)	NA	NA	Optional	Optional	Optional RD Only	NA	Optional in Rear Club	NA	NA	Optional in Rear Club
Dimensions										
External Body Length	4480mm (CD) / 4530mm (RD)	5365mm (CD) / 5420mm (RD)	5595mm (CD) / 5645mm (RD)	5875mm (CD) / 5925mm (RD)	6055mm (CD) / 6105mm (RD)	6590mm (CD)	6715mm (RD)	6715mm (RD)	6895mm (CD)	6945mm (RD)
External Length (End Coupling to Outer Spare Tyre)	6780mm(CD)	7665mm(CD)	7895mm(CD)	8175mm(CD)	8355mm(CD)	8890mm(CD)	9025mm(RD)	9025mm(RD)	9205mm(CD)	9245mm(RD)
External Length (End Coupling to Outer Bumper Bar : Underslung spare wheel)	6530mm(RD)	7420mm(RD)	7645mm(RD)	7925mm(RD)	8105mm(RD)					
External Height (Ground to Top AC Unit)	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm	2500mm
Internal Length	4335mm (CD) / 4385mm (RD)	5225mm(CD) / 5275mm (RD)	5475mm(CD) / 5525mm (RD)		5900mm (CD) / 5950mm (RD)	6425mm (CD)	6550mm (RD)	6550mm (RD)	6725mm (CD)	6825mm (RD)
Internal Height	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm	2285mm
<i>Note : Indicative lengths are standard configuration, any additional options or variations could change these figures</i>										
Construction										
Alko Super Gal Painted Chassis Charcoal	•	•	•	•	•	•	•	•	•	•
Optional Alko Chassis Finish: Galvanized or Enduro Finish (Rubberized Coat)	o	o	o	o	o	o	o	o	o	o
Alko Chassis Construction:										
Extended Aframe (steel 6" x 2") C450	1700mm	1700mm	1700mm	1700mm	1700mm	1700mm	1700mm	1700mm	1700mm	1700mm
Main Rail	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm
Aluminium Wall Frame	•	•	•	•	•	•	•	•	•	•
Full Piece Composite Roof : 5 Colour Options	•	•	•	•	•	•	•	•	•	•

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft11 (RD)	21ft1 (RD)	21ft1 (RD)	21ft1 (RD)	21ft1 (RD)
Construction												
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frames	•	•	•	•	•	•	•	•	•	•	•	•
PolyHoney Comb Light Weight Flooring	•	•	•	•	•	•	•	•	•	•	•	•
30mm One Piece XPS Insulated CNC Pre-Fabricated Roof	•	•	•	•	•	•	•	•	•	•	•	•
Aluminium Composite Panel: 5 Colour Options	•	•	•	•	•	•	•	•	•	•	•	•
Cruisemaster ATX Single Axle Suspension 3.0T ATM	•	•	•	NA	NA	NA	NA	NA	NA	NA	NA	NA
Alko Independent Tandem Coil Spring Suspension 4.1T GTM	NA	NA	NA	•	•	•	•	•	•	•	•	•
Alko 12" Electric Brakes	•	•	•	•	•	•	•	•	•	•	•	•
DO35 V2 HitchMaster Coupling	•	•	•	•	•	•	•	•	•	•	•	•
Exterior												
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•	•	•	•
Black Checker Plate, approx 600mm on sides	•	•	•	•	•	•	•	•	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•	•	•	•
Picnic Table	•	•	•	•	•	•	•	•	•	•	•	•
External TV Box	NA	•	•	•	•	•	•	•	•	•	•	•
External Awning with Mid roller support	NA	•	•	•	•	•	•	•	•	•	•	•
Electric Awning	•	o	o	o	o	o	o	o	o	o	o	o
Single Manual Entry Step with LED strip	•	•	•	•	•	•	•	•	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•	•	•	•	•	•	•	•	•
Two Arm Hot Dip Galvanized Bumper 45 Degree	•	•	•	•	•	•	•	•	•	•	•	•
Spare Wheel (x1) and Holder at Rear on Bumper Bar	14ft7 (CD)	17ft6 (CD)	18ft3 (CD)	19ft2 (CD)	19ft9 (CD)	•	•	•	•	•	•	•
Underslung Spare Wheel (at the Aframe)	14ft9 (RD)	17ft8 (RD)	18ft5 (RD)	19ft4 (RD)	19ft11 (RD)	o	o	o	o	o	o	o
Alko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•	•	•	•
Full Width Tunnel Boot	•	•	•	•	•	•	•	•	•	•	•	•
Checker Plate Toolbox with Double Sliders	•	•	•	•	•	•	•	•	•	•	•	•

Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Electrical									
Projecta Intelli RV -PM435C with 7" Display Unit	•	•	•	•	•	•	•	•	•
Lithium Battery - 2 x 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•	•	•	•	•	•
Two x 200W Solar Panels	•	•	•	•	•	•	•	•	•
Anderson Plug	•	•	•	•	•	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•	•	•	•	•	•
King OmniPro Antenna	•	•	•	•	•	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•	•	•	•	•	•
Fusion Panel Stereo Mounted Internally and Externally	•	•	•	•	•	•	•	•	•
Dimmable Downlights with soft LED strip light in Ensuite.	•	•	•	•	•	•	•	•	•
Soft LED strip Lights at: Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry (Under OHC and KickBoard)	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light - Door Side	x2	x2	x2	x3	x3	x3	x3	x3	x3
Multi Colour Annex Light - Drivers Side	x1	x1	x1	x1	x1	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•	•	•	•	•	•
Reversing Camera	NA	•	•	•	•	•	•	•	•
Wireless Reversing Camera	•	o	o	o	o	o	o	o	o
24" Smart TV (van size : 14ft7-19ft4)	•	•	•	•	NA	NA	NA	NA	NA
27" Smart TV (Van size > 19ft9)	NA	NA	NA	NA	•	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•	•	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•	•	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•


Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft1 (R)	21ft (CD)	21ft (RD)
Electrical										
Reading Lights : Bedroom x2, Living x2	•	•	•	•	•	•	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point	•	•	•	•	•	•	•	•	•	•
Plumbing										
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
Three Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
External Mounted Water Pump Under chassis	•	•	•	•	•	•	•	•	•	•
Fresh Water Tanks : 2 x 95 Litres	•	•	•	•	•	•	•	•	•	•
Grey Water Tank : 1 x 110 litres	•	•	•	•	•	•	•	•	•	•
External Shower	•	•	•	•	•	•	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•
Two 9kg Gas Bottles Stored Inside Toolbox On Slider	•	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•	•
AuFocus Diesel Heater (2KW)	•	•	•	•	•	•	•	•	•	•
Non Return Valve on the Shower, Vanity Bowl and Kitchen Sink	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	14ft7 (CD)	•	•	•	•	•	NA	•	•	NA
Thetford C402-C Left / Right Hand Toilet	14ft9 (RD)	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•	•	•	•	•	•	•
Sliding or Hinged Door at Ensuite Entrance (Model Dependent)	•	•	•	•	•	•	•	•	•	•
Ceramic Swivel Toilet or C402 Side Toilet (Model dependent)	•	•	•	•	•	•	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•

Specifications

Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	22ft6 (CD)	22ft8 (RD)
Ensuite / Bathroom									
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	•	•	•	•	•	•	•	•
Exclusive Vanity Mirror with builtin LED Lighting	NA	•	•	•	•	NA	NA	•	NA
Wrapped Around OHC over Vanity and Toilet	NA	•	•	•	•	NA	NA	•	NA
Kitchen									
Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•
Three way Filter Tap	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X (Van Size 14ft7-19ft4)	•	•	•	•	NA	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X (van > 19ft9)	NA	NA	NA	NA	•	•	•	•	•
Slimline RangeHood	•	•	•	•	•	•	•	•	•
Global Eberspacher 3.5KW Air Conditioner	•	•	•	•	•	•	•	•	•
Living Seating Area									
Padding Over Entry Door and Roof Mounted LED	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating with side Leg Support	•	•	•	•	•	•	•	•	•
Heavy Duty Vinyl Flooring available in 5 colours	•	•	•	•	•	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	• 17ft6 CD	NA	NA	• 19ft11	•	•	•	•


Model	14ft7 (CD) / 14ft9 (RD)	17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD)	18ft3 (CD) / 18ft5 (RD)	19ft2 (CD) / 19ft4 (RD)	19ft9 (CD) / 19ft11 (RD)	21ft6 (CD)	21ft11 (RD)	21ft1 (R)	21ft (CD)	21ft (RD)
Bedroom										
Exclusive Designed Full Size Bedhead	•	•	•	•	•	•	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•	•	•	•	•	•	•
Roof Hatch with Lights	•	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•	•	•	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•	•	•	•	•	•	•
Built in Phone Chargers	•	•	•	•	•	•	•	•	•	•
Cabinetry										
CNC Cabinetry through out the Entire Van	•	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•	•	•	•	•	•	•
Cutlery Drawer Insert	•	•	•	•	•	•	•	•	•	•
Safety										
Breakaway Safety System	•	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•	•	•	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•	•	•	•	•	•	•
Accessories										
Exclusive Millard BackPack	•	•	•	•	•	•	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•	•	•	•	•	•	•
Exclusive Millard Pen set	•	•	•	•	•	•	•	•	•	•
Exclusive Key Ring	•	•	•	•	•	•	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•	•	•	•	•	•	•

Family Van Layouts




MX1911CDQBEWSCSB

External Body Length: 6105mm
Overall Height: 3030mm
Overall External Length: 8450mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre




MX216CDQBLLSB

External Body Length: 6590mm
Overall Height: 3030mm
Overall External Length: 8940mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre



MX226CDQBSCSB

External Body Length: 6895mm
Overall Height: 3030mm
Overall External Length: 9255mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre



MX2210CDQBSCRB

External Body Length: 6995mm
Overall Height: 3030mm
Overall External Length: 9345mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre

Specifications

Model

Door Position Reference

Standard Seating Arrangement - Centre Door

Other Seating Options

Dimensions

External Body Length

External Length (End Coupling to Outer Spare Tyre)

External Height (Ground to Top AC Unit)

External Width includes all protruding fixtures

Internal Length

Internal Height

Internal Width

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction

Alko Super Gal Painted Chassis Charcoal

Optional Alko Chassis Finish : Galvanized or Enduro Finish (Rubberized Coat)

Alko Chassis Construction:

Extended Aframe (steel 6" x 2") C450

Main Rail

Aluminium Wall Frame

Full Piece Composite Roof : 5 Colour Options

22mm XPS Moisture Resistant Insulation between Aluminium Wall Frames

PolyHoney Comb Light Weight Flooring

30mm One Piece XPS Insulated CNC Pre-Fabricated Roof

Aluminium Composite Panel : 5 Colour Options

Alko Independent Tandem Coil Spring Suspension 4.1T GTM

Alko 12" Electric Brakes

DO35 V2 HitchMaster Coupling

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Door Position Reference	CD	CD	C D	C D
Standard Seating Arrangement - Centre Door	Side Club	L-Lounge	Side Club	Side Club
Other Seating Options	Dinette or L-Lounge	NA	Dinette or L-Lounge	Dinette or L-Lounge
Dimensions				
External Body Length	6105mm (CD)	6590mm (CD)	6895mm (CD)	6995mm (CD)
External Length (End Coupling to Outer Spare Tyre)	8450mm(CD)	8940mm(CD)	9255mm(CD)	9345mm(CD)
External Height (Ground to Top AC Unit)	3030mm	3030mm	3030mm	3030mm
External Width includes all protruding fixtures	2500mm	2500mm	2500mm	2500mm
Internal Length	5950mm (CD)	6425mm (CD)	6725mm (CD)	6825mm (CD)
Internal Height	2010mm	2010mm	2010mm	2010mm
Internal Width	2285mm	2285mm	2285mm	2285mm

Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Exterior				
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel				
Black Checker Plate , approx 600mm on sides	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•
Picnic Table	•	•	•	•
External TV Box	•	•	•	•
External Awning with Mid roller support	•	•	•	•
Electric Awning	o	o	o	o
Single Manual Entry Step with LED strip	•	•	•	•
Entry Door Grab Handle with Light	•	•	•	•
Two Arm Hot Dip Galvanized Bumper 45 Degree	•	•	•	•
Alko 8" Jockey Wheel	•	•	•	•
Full Width Tunnel Boot	•	•	•	•
Checker Plate Toolbox with Double Sliders	•	•	•	•
Electrical				
Projecta Intelli RV -PM435C with 7" Display Unit	•	•	•	•
Lithium Battery - 2 x 120AH IP67 Fitted Externally in Double Battery Box	•	•	•	•
Two x 200W Solar Panels	•	•	•	•
Anderson Plug	•	•	•	•
Dexter Anti Sway System (DSC)	•	•	•	•
King OmniPro Antenna	•	•	•	•
Starlink Ready: 12V Starlink Cosmo (for Starlink Gen 3)	•	•	•	•
Fusion Panel Stereo Mounted Interanally and Externally	•	•	•	•
Dimmable Downlights with soft LED strip light in Ensuite.	•	•	•	•
Soft LED strip Lights at : Main Bed Side Tables, Under the Kitchen OHC and Ensuite Cabinetry	•	•	•	•
Multi Colour Annex Light - Door Side	x3	x3	x3	x3
Multi Colour Annex Light - Door Side	x1	x1	x1	x1
External Power Point at Picnic Table	•	•	•	•
Reversing Camera	•	•	•	•
27" Smart TV (Van size > 19ft2)	•	•	•	•
Tunnel Boot lighting at lockable doors , both sides	•	•	•	•
240V Single Power point,12V Socket,USB port in Bedside Nook	•	•	•	•
Double Power Points : Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•
Reading Lights : Bedroom x2 , Living x 2	•	•	•	•
External TV Box : 240V Single Power Point, CIG 12V / Antenna Point	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Plumbing				
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve				
Three Water Tank Sensors	•	•	•	•
External Mounted Water Pump Under chassis	•	•	•	•
Fresh Water Tanks : 2 x95 Litres	•	•	•	•
Grey Water Tank : 1 x 110 litres	•	•	•	•
External Shower	•	•	•	•
Mains Tap to A Frame & Mains Pressure	•	•	•	•
Two 9kg Gas Bottles Stored Inside Toolbox On Slider	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•
Gas and Electric Hot Water System	•	•	•	•
Non Return Valve on the shower, vanity bowl and kitchen sink	•	•	•	•
Thetford C263CS Ceramic Toilet	NA	NA	NA	•
Thetford C402-C Left / Right Hand Toilet	•	•	•	NA
Ensuite / Bathroom				
Separate Shower & Toilet	•	•	•	•
Fully Moulded One Piece Large Shower Cubicle	•	•	•	•
Sliding Door at Ensuite Entrance	•	•	•	•
Side Plastic Toilet or Ceramic Toilet	•	•	•	•
Mixer taps Basin , Shower	•	•	•	•
Single Internal Towel Rail	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	•	•	•	•
Kitchen				
Recessed Thetford K1520 Combination Cooker -Dual Fuel W/Fan Forced Oven	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Three way Filter Tap	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•
Dometic 180 Litre RUES Absorption 6408X	NA	NA	NA	NA
Dometic 216 Litre RUES Absorption 8408X	•	•	•	•
Slimline RangeHood	•	•	•	•
Global Eberspacher 3.5KW AC Unit	•	•	•	•

Specifications

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Living Seating Area				
Padding Over Entry Door and Roof Mounted LED				
Exclusive Designed Seating with side Leg Support	•	•	•	•
Heavy Duty Vinyl Flooring available in 5 colours	•	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•	•
Tic Cushion supplied with Telescopic table base	•	•	•	•
Bedroom				
Exclusive Designed Full Size Bedhead	•	•	•	•
Pillow Top Spring Mattress on Slatted Bed Base	•	•	•	•
Roof Hatch with Lights	•	•	•	•
Wardrobe with Bedside Nook and Bottom Drawers	•	•	•	•
Side Tables with Soft LED lighting	•	•	•	•
Built In Phone Chargers	•	•	•	•
Bunk Beds				
Double or Triple Bunks	•	•	•	•
Bed Length	1850mm	1850mm	1850mm	2285mm
Padded Side Support and Ladder	•	•	•	•
240V Single Power point,USB port in Bedside Nook	•	•	•	•
Reading Lights per Bunk	•	•	•	•
Cabinetry				
CNC Cabintery through out the entire van	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•
Gas Door Struts on Overhead Cupdoors	•	•	•	•
Cutlrey Drawer Insert	•	•	•	•

Model	19ft11 EW (CD)	21ft6 (CD)	22ft6 (CD)	22ft10 (CD)
Safety				
Breakaway Safety System				
Fire Extinguisher	•	•	•	•
Smoke Alarm	•	•	•	•
Door - External 4 Pin lock with Security Screen	•	•	•	•
Dexter Anti Sway Control System (DSC)	•	•	•	•
Accessories				
Exclusive Millard BackPack	•	•	•	•
Exclusive Millard Umbrella	•	•	•	•
Exclusive Millard Pen set	•	•	•	•
Exclusive Key Ring	•	•	•	•
Exclusive Millard BaseBall Cap	•	•	•	•



Your ticket to *freedom*
since 1947

Trusted name for 78 years

Unit 1/36-42 Orange Grove Road,
Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans

