




Your ticket to **freedom** since 1947

**The Trusted name
for 78 years**




mFLOW

Couples Van Layouts




MF147CDQBEWDS

External Body Length: 4480mm
Overall External Length: 6530mm
End Coupling to Outer Spare Tyre



MF176CDQBL

External Body Length: 5365mm
Overall External Length: 7415mm
End Coupling to Outer Spare Tyre




MF185RDQBD

External Body Length: 5645mm
Overall External Length: 7395mm
End Coupling to Outer Spare Tyre




MF149RDQBEWDS

External Body Length: 4530mm
Overall External Length: 6280mm
End Coupling to Outer Spare Tyre




MF178RDQBD

External Body Length: 5420mm
Overall External Length: 7170mm
End Coupling to Outer Spare Tyre




MF192CDQBD

External Body Length: 5875mm
Overall External Length: 8125mm
End Coupling to Outer Spare Tyre




MF176CDQBEWSC

External Body Length: 5365mm
Overall External Length: 7415mm
End Coupling to Outer Spare Tyre




MF183CDQBD

External Body Length: 5595mm
Overall External Length: 7645mm
End Coupling to Outer Spare Tyre




MF194RDQBD

External Body Length: 5925mm
Overall External Length: 7875mm
End Coupling to Outer Spare Tyre




MF199CDQBSC

External Body Length: 6055mm
Overall External Length: 8305mm
End Coupling to Outer Spare Tyre



MF211RDQBC

External Body Length: 6715mm
Overall External Length: 8965mm
End Coupling to Outer Spare Tyre



MF228RDQBC

External Body Length: 6945mm
Overall External Length: 9195mm
End Coupling to Outer Spare Tyre



MF211RDQBS

External Body Length: 6105mm
Overall External Length: 8055mm
End Coupling to Outer Spare Tyre



MF226CDQBS

External Body Length: 6895mm
Overall External Length: 9155mm
End Coupling to Outer Spare Tyre



MF260

Specifications

| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21ft11 (RD) | 22ft6 (CD) | 22ft8 (RD) |
|--|---------------------------|--|---------------------------|---------------------------|---------------------------|-------------|-----------------------|-------------|-------------|-----------------------|
| Door Position Reference | CD / RD | CD / RD | CD / RD | CD / RD | CD / RD | CD | RD | RD | CD | RD |
| Standard Seating - Centre Door | Dinette | Side Club EW / L-Lounge | Dinette | Dinette | Side Club | Side Club | | | Side Club | NA |
| Standard Seating - Rear Door | Dinette | Dinette | Dinette | Dinette | side Club | NA | Rear Club | Side Club | NA | Rear Club |
| Other Seating Options | L-Lounge | L-Lounge RD Only | L-Lounge | L-Lounge | Dinette or L-Lounge | Dinette | Side Club or Dinette | Dinette | Dinette | NA |
| Captain Chairs | NA | 17ft6 EW CD | Optional CD&RD | Optional CD&RD | NA | NA | Optional in Rear Club | NA | NA | Optional in Rear Club |
| Single Beds (seating change to Side Club) | NA | NA | Optional | Optional | Optional RD Only | NA | Optional in Rear Club | NA | NA | Optional in Rear Club |
| Dimensions | | | | | | | | | | |
| External Body Length | 4480mm (CD) / 4530mm (RD) | 5365mm (CD) / 5420mm (RD) | 5595mm (CD) / 5645mm (RD) | 5875mm (CD) / 5925mm (RD) | 6055mm (CD) / 6105mm (RD) | 6590mm (CD) | 6715mm (RD) | 6715mm (RD) | 6895mm (CD) | 6945mm (RD) |
| External Length (End Coupling to Outer Spare Tyre) | 6530mm (CD) | 7415mm (CD) | 7645mm (CD) | 8125mm (CD) | 8305mm (CD) | 8840mm (CD) | 8965mm (RD) | 8965mm (RD) | 9155mm (CD) | 9195mm (RD) |
| External Length (End Coupling to Outer Bumper Bar: Underslung spare wheel) | 6280mm (RD) | 7170mm (RD) | 7395mm (RD) | 7875mm (RD) | 8055mm (RD) | | | | | |
| External Height (Ground to Top Cowfish Antenna) | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm | 3030mm |
| External Width includes all protruding fixtures | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm | 2500mm |
| Internal Length | 4335mm (CD) / 4385mm (RD) | 5225mm(CD) / 5275mm (RD) | 5475mm(CD) / 5525mm (RD) | 5710mm (CD) / 5760mm (RD) | 5900mm (CD) / 5950mm (RD) | 6425mm (CD) | 6550mm (RD) | 6550mm (RD) | 6725mm (CD) | 6825mm (RD) |
| Internal Height | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm | 2010mm |
| Internal Width | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm | 2285mm |
| ATM | 2800kgs | 2800kgs | 2800kgs | 3500kgs | 3500kgs | 3500kgs | 3500kgs | 3500kgs | 3500kgs | 3500kgs |
| <i>Note : Indicative lengths are standard configuration, any additional options or variations could change these figures</i> | | | | | | | | | | |
| Construction | | | | | | | | | | |
| Alko Super Gal Painted Chassis Charcoal | • | • | • | • | • | • | • | • | • | • |
| Optional Alko Chassis Finish : Galvanized or Enduro Finish | o | o | o | o | o | o | o | o | o | o |
| Alko Chassis Construction: | | | | | | | | | | |
| 2 Inch Raiser | • | • | • | • | • | • | • | • | • | • |
| Aframe (Steel 6" x 2") C450 Length | 1500mm | 1500mm | 1500mm | 1700mm | 1700mm | 1700mm | 1700mm | 1700mm | 1700mm | 1700mm |
| Main Rail | 100mmx50mm | 100mmx50mm | 100mmx50mm | 150mmx50mm | 150mmx50mm | 150mmx50mm | 150mmx50mm | 150mmx50mm | 150mmx50mm | 150mmx50mm |
| Aluminium Wall Frame | • | • | • | • | • | • | • | • | • | • |
| Full Piece Composite Roof : 5 Colour Options | • | • | • | • | • | • | • | • | • | • |

| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21ft11 (RD) | 22ft6 (CD) | 22ft8 (RD) |
|--|-------------------------|--|-------------------------|-------------------------|--------------------------|------------|-------------|-------------|------------|------------|
| Construction | | | | | | | | | | |
| 22mm XPS Moisture Resistant Insulation between Aluminium Wall Frames | • | • | • | • | • | • | • | • | • | • |
| Poly Honey Comb Light Weight Flooring | • | • | • | • | • | • | • | • | • | • |
| 30mm One Piece XPS Insulated CNC Pre-Fabricated Roof | • | • | • | • | • | • | • | • | • | • |
| Aluminium Composite Panel : 5 Colour Options | • | • | • | • | • | • | • | • | • | • |
| Cruisemaster XT Coil 2.8T ATM 12" Electric Brakes | • | • | • | NA | NA | NA | NA | NA | NA | NA |
| Alko 50mm Tandem Square Gal Axle Leaf Spring suspension 4.0T GTM | NA | NA | NA | • | • | • | • | • | • | • |
| Alko 12" Electric Brakes | • | • | • | • | • | • | • | • | • | • |
| 50mm Standard Alko Ball Coupling | • | • | • | • | • | • | • | • | • | • |
| Exterior | | | | | | | | | | |
| 245/75 R16 Tyres on Silver/Brack Rims includes One Spare Wheel | • | • | • | NA | NA | NA | NA | NA | NA | NA |
| 265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel | NA | NA | NA | • | • | • | • | • | • | • |
| Black Checker Plate , approx 600mm on sides | • | • | • | • | • | • | • | • | • | • |
| Printed Decals Choice of 5 colours | • | • | • | • | • | • | • | • | • | • |
| Picnic Table | • | • | • | • | • | • | • | • | • | • |
| External Awning with Mid roller support | NA | • | • | • | • | • | • | • | • | • |
| Electric Awning | • | o | o | o | o | o | o | o | o | o |
| Single Manual Entry Step with LED strip | • | • | • | • | • | • | • | • | • | • |
| Entry Door Grab Handle with Light | • | • | • | • | • | • | • | • | • | • |
| Two Arm Hot Dip Galvanized Bumper 45 Degree (Short) | • | • | • | • | • | • | • | • | • | • |
| Spare Wheel (x1) and Holder at Rear on Bumper Bar | 14ft7 (CD) | 17ft6 (CD) | 18ft3 (CD) | 19ft2 (CD) | 19ft9 (CD) | • | • | • | • | • |
| Underslung Spare Wheel (at the Aframe) | 14ft9 (RD) | 17ft8 (RD) | 18ft5 (RD) | 19ft4 (RD) | 19ft11 (RD) | o | o | o | o | o |
| Alko 8" Jockey Wheel | • | • | • | • | • | • | • | • | • | • |
| Full Width Tunnel Boot | • | • | • | • | • | • | • | • | • | • |

Specifications

| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 22ft6 (CD) | 22ft8 (RD) |
|---|----------------------------|--|----------------------------|----------------------------|-----------------------------|------------|-------------|------------|------------|
| Electrical | | | | | | | | | |
| Projecta Intelli RV -PM335C with 4" Display Unit | • | • | • | • | • | • | • | • | • |
| Lithium Battery - 120AH IP67 Fitted Externally in Double Battery Box | • | • | • | • | • | • | • | • | • |
| Anderson Plug | • | • | • | • | • | • | • | • | • |
| Two x 200W Solar Panels | • | • | • | • | • | • | • | • | • |
| Cowfish VanTenna Premium Gen 2 | • | • | • | • | • | • | • | • | • |
| Fusion Panel Stereo Mounted Internally and Externally | • | • | • | • | • | • | • | • | • |
| OysterLighting with soft LED strip light in Ensuite. | • | • | • | • | • | • | • | • | • |
| Multi Colour Annex Light | x2 | x2 | x2 | x3 | x3 | x3 | x3 | x3 | x3 |
| External Power Point and TV Point | • | • | • | • | • | • | • | • | • |
| Reversing Camera | • | • | • | • | • | • | • | • | • |
| Wireless Reversing Camera | • | o | o | o | o | o | o | o | o |
| 24" Smart TV (Vans : 14ft7-18ft5) | • | • | • | • | NA | NA | NA | NA | NA |
| 27" Smart TV (Vans > 19ft2) | NA | NA | NA | NA | • | • | • | • | • |
| Tunnel Boot lighting at lockable doors , both sides | • | • | • | • | • | • | • | • | • |
| 240V Single Power point, 12V Socket, USB port in Bedside Nook | • | • | • | • | • | • | • | • | • |
| Double Power Points : Living Seating Plus USB, Kitchen and Ensuite | • | • | • | • | • | • | • | • | • |
| Reading Lights : Bedroom x2, Living x2 | • | • | • | • | • | • | • | • | • |
| Plumbing | | | | | | | | | |
| Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve | • | • | • | • | • | • | • | • | • |
| Three Water Tank Sensors | • | • | • | • | • | • | • | • | • |
| External Mounted Water Pump Under chassis | • | • | • | • | • | • | • | • | • |
| Fresh Water Tanks : 2 x95 Litres | • | • | • | • | • | • | • | • | • |
| Grey Water Tank : 1 x 110 litres | • | • | • | • | • | • | • | • | • |
| Mains Tap to A Frame & Mains Pressure | • | • | • | • | • | • | • | • | • |


| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21f1 (R) | 2f6 (CD) | 2f8 (RD) |
|--|----------------------------|--|----------------------------|----------------------------|-----------------------------|------------|-------------|----------|----------|----------|
| Plumbing | | | | | | | | | | |
| Two 9kg Gas Bottles mounted on Aframe | • | • | • | • | • | • | • | • | • | • |
| External Gas Bayonet Fitting | • | • | • | • | • | • | • | • | • | • |
| Gas and Electric Hot Water System | • | • | • | • | • | • | • | • | • | • |
| Non Return Valve on the shower, vanity bowl and kitchen sink | • | • | • | • | • | • | • | • | • | • |
| Thetford C263CS Ceramic Toilet | 14ft7 (CD) | • | • | • | • | • | NA | • | • | NA |
| Thetford C402-C Left / Right Hand Toilet | 14ft9 (RD) | NA | NA | NA | NA | NA | • | N/A | N/A | • |
| Ensuite / Bathroom | | | | | | | | | | |
| Separate Shower & Toilet | • | • | • | • | • | • | • | • | • | • |
| Fully Moulded One Piece Large Shower Cubicle | • | • | • | • | • | • | • | • | • | • |
| Sliding Door at Ensuite Entrance | • | • | • | • | • | • | • | • | • | • |
| Ceramic Swivel Toilet or C402 Side Toilet | • | • | • | • | • | • | • | • | • | • |
| Mixer taps Basin , Shower | • | • | • | • | • | • | • | • | • | • |
| Single Internal Towel Rail | • | • | • | • | • | • | • | • | • | • |
| Exhaust Fan Hatch in Shower | • | • | • | • | • | • | • | • | • | • |
| Bathroom Window Above Toilet | • | • | • | • | • | • | • | • | • | • |
| Qflow Exclusive 2.5kg Front Loader Washing Machine | NA | • | • | • | • | • | • | • | • | • |

Specifications

| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 22ft6 (CD) | 22ft8 (RD) |
|---|----------------------------|--|----------------------------|----------------------------|-----------------------------|------------|-------------|------------|------------|
| Kitchen | | | | | | | | | |
| Recessed Thetford K1540 Dual Fuel Cooktop and Grill | • | • | • | • | • | • | • | • | • |
| White Aluminium Kitchen Splashback | • | • | • | • | • | • | • | • | • |
| Three way Filter Tap | • | • | • | • | • | • | • | • | • |
| Qflow 23Litre Microwave Oven | • | • | • | • | • | • | • | • | • |
| Dometic 180 Litre RUES Absorption 6408X | • | • | • | • | NA | NA | NA | NA | NA |
| Dometic 216 Litre RUES Absorption 8408X | NA | NA | NA | NA | • | • | • | • | • |
| Slimline RangeHood | • | • | • | • | • | • | • | • | • |
| Dometic Freshjet Lite | • | • | • | NA | NA | NA | NA | NA | NA |
| My Coolman 3KW Reverse Cycle Air Conditioner | NA | NA | NA | • | • | • | • | • | • |
| Living Seating Area | | | | | | | | | |
| Padding Over Entry Door | • | • | • | • | • | • | • | • | • |
| Exclusive Designed Seating with side Leg Support | • | • | • | • | • | • | • | • | • |
| Heavy Duty Vinyl Flooring available in 5 colours | • | • | • | • | • | • | • | • | • |
| Exclusive designed Map/ Magazine and Key holder | • | • | • | • | • | • | • | • | • |
| Tic Cushion supplied with Telescopic table base | NA | • 17ft6 CD | NA | NA | • 19ft11(RD) | • | • | • | • |
| Bedroom | | | | | | | | | |
| Exclusive Designed Full Size Bedhead | • | • | • | • | • | • | • | • | • |
| Pillow Top Spring Mattress on Slatted Bed Base | • | • | • | • | • | • | • | • | • |
| Roof Hatch with lights | • | • | • | • | • | • | • | • | • |
| Wardrobe with Bedside nook and bottom drawers | • | • | • | • | • | • | • | • | • |


| Model | 14ft7 (CD) / 14ft9 (RD) | 17ft6EW (CD) / 17ft6 (CD) / 17ft8 (RD) | 18ft3 (CD) / 18ft5 (RD) | 19ft2 (CD) / 19ft4 (RD) | 19ft9 (CD) / 19ft11 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21ft1 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21ft1 (RD) | 21ft6 (CD) | 21ft11 (RD) | 21ft1 (RD) |
|---|----------------------------|--|----------------------------|----------------------------|-----------------------------|------------|-------------|------------|------------|-------------|------------|------------|-------------|------------|
| Cabinetry | | | | | | | | | | | | | | |
| CNC Cabintery through out the entire van | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Modern Slimline Benchtop (Kitchen and Ensuite) | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| White Aluminium Kitchen Splashback | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Gas Door Struts on Overhead Cupdoors | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Cutlery Drawer Insert | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Safety | | | | | | | | | | | | | | |
| Breakaway Safety System | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Fire Extinguisher | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Smoke Alarm | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Door - External 4 Pin lock with Security Screen | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Accessories | | | | | | | | | | | | | | |
| Exclusive Millard BackPack | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Exclusive Millard Umbrella | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Exclusive Millard Pen set | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Exclusive Key Ring | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| Exclusive Millard BaseBall Cap | • | • | • | • | • | • | • | • | • | • | • | • | • | • |

Family Van Layouts




MF1911CDQBEWSCSB

External Body Length: 6105mm
Overall Height: 3030mm
Overall External Length: 8355mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre




MF216CDQBLLSB

External Body Length: 6590mm
Overall Height: 3030mm
Overall External Length: 8840mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre



MF226CDQBS-CSB

External Body Length: 6895mm
Overall Height: 3030mm
Overall External Length: 9155mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre



MF2210CDQBS-CRB

External Body Length: 6995mm
Overall Height: 3030mm
Overall External Length: 9245mm
Overall Width: 2500mm
End Coupling to Outer Spare Tyre

Specifications

Model

Door Position Reference
Standard Seating Arrangement - Centre Door
Other Seating Options

Dimensions

| | 19ft11 EW (CD) | 21ft6 (CD) | 22ft6 (CD) | 22ft10 (CD) |
|--|----------------|-------------|-------------|-------------|
| CD | | | | |
| Side Club | | | L-Lounge | |
| Dinette or L-Lounge | | NA | | |
| External Body Length | 6105mm (CD) | 6590mm (CD) | 6895mm (CD) | 6995mm (CD) |
| External Length (End Coupling to Outer Spare Tyre) | 8355mm | 8840mm | 9155mm | 9245mm |
| External Height (Ground to Top Cowfish Antenna) | 3030mm | 3030mm | 3030mm | 3030mm |
| External Width includes all protruding fixtures | 2500mm | 2500mm | 2500mm | 2500mm |
| Internal Length | 5950mm (CD) | 6425mm (CD) | 6725mm (CD) | 6825mm (CD) |
| Internal Height | 2010mm | 2010mm | 2010mm | 2010mm |
| Internal Width | 2285mm | 2285mm | 2285mm | 2285mm |

Note : Indicative lengths are standard configuration, any additional options or variations could change these figures

Construction

| | | | | |
|--|--------------|--------------|--------------|--------------|
| Alko Super Gal Painted Chassis Charcoal | ● | ● | ● | ● |
| Optional Alko Chassis Finish: Galvanized | ○ | ○ | ○ | ○ |
| Alko Chassis Construction: | | | | |
| 2 Inch Raiser | ● | ● | ● | ● |
| Aframe (steel 6" x 2") C450 Length | 1700mm | 1700mm | 1700mm | 1700mm |
| Main Rail | 150mm x 50mm | 150mm x 50mm | 150mm x 50mm | 150mm x 50mm |
| Aluminium Wall Frame | ● | ● | ● | ● |
| Full Piece Composite Roof: 5 Colour Options | ● | ● | ● | ● |
| 22mm XPS Moisture Resistant Insulation between Aluminium Wall Frames | ● | ● | ● | ● |
| Poly Honey Comb Light Weight Flooring | ● | ● | ● | ● |
| 30mm One Piece XPS Insulated CNC Pre-Fabricated Roof | ● | ● | ● | ● |
| Aluminium Composite Panel: 5 Colour Options | ● | ● | ● | ● |
| Alko 50mm Tandem Square Gal Axle Leaf Spring suspension 4.0T GTM | ● | ● | ● | ● |
| Alko 12" Electric Brakes | ● | ● | ● | ● |
| 50mm Standard Alko Ball Coupling | ● | ● | ● | ● |

Specifications

| Model | 19ft11 EW (CD) | 21ft6 (CD) | 22ft6 (CD) | 22ft10 (CD) |
|--|----------------|------------|------------|-------------|
| Exterior | | | | |
| 265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel | | | | |
| Black Checker Plate, approx 600mm on sides | • | • | • | • |
| Printed Decals Choice of 5 colours | • | • | • | • |
| Picnic Table | • | • | • | • |
| External Awning with Mid roller support | • | • | • | • |
| Electric Awning | o | o | o | o |
| Single Manual Entry Step with LED strip | • | • | • | • |
| Entry Door Grab Handle with Light | • | • | • | • |
| Two Arm Hot Dip Galvanized Bumper 45 Degree (Short) | • | • | • | • |
| Alko 8" Jockey Wheel | • | • | • | • |
| Full Width Tunnel Boot | • | • | • | • |
| Electrical | | | | |
| Projecta Intelli RV -PM335C with 4" Display Unit | • | • | • | • |
| Lithium Battery - 120AH IP67 Fitted Externally in Double Battery Box | • | • | • | • |
| Anderson Plug | • | • | • | • |
| Two x 200W Solar Panels | • | • | • | • |
| Cowfish VanTenna Premium Gen 2 B | • | • | • | • |
| Fusion Panel Stereo Mounted Internally and Externally | • | • | • | • |
| OysterLighting with soft LED strip light in Ensuite. | • | • | • | • |
| Multi Colour Annex Light | x3 | x3 | x3 | x3 |
| External Power Point and TV Point | • | • | • | • |
| Reversing Camera | • | • | • | • |
| Wireless Reversing Camera | o | o | o | o |
| 27" Smart TV | • | • | • | • |
| Tunnel Boot lighting at lockable doors , both sides | • | • | • | • |
| 240V Single Power point,12V Socket,USB port in Bedside Nook | • | • | • | • |
| Double Power Points: Living Seating Plus USB, Kitchen and Ensuite | • | • | • | • |
| Reading Lights: Bedroom x2 , Living x 2 | • | • | • | • |

| Model | 19ft11 EW (CD) | 21ft6 (CD) | 22ft6 (CD) | 22ft10 (CD) |
|---|----------------|------------|------------|-------------|
| Plumbing | | | | |
| Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve | | | | |
| Three Water Tank Sensors | • | • | • | • |
| External Mounted Water Pump Under chassis | • | • | • | • |
| Fresh Water Tanks: 2 x95 Litres | • | • | • | • |
| Grey Water Tank: 1 x 110 litres | • | • | • | • |
| Mains Tap to A Frame & Mains Pressure | • | • | • | • |
| Two 9kg Gas Bottles mounted on Aframe | • | • | • | • |
| External Gas Bayonet Fitting | • | • | • | • |
| Gas and Electric Hot Water System | • | • | • | • |
| Non Return Valve on the shower, vanity bowl and kitchen sink | • | • | • | • |
| Thetford C263CS Ceramic Toilet | NA | NA | NA | • |
| Thetford C402-C Left / Right Hand Toilet | • | • | • | NA |
| Ensuite / Bathroom | | | | |
| Separate Shower & Toilet | • | • | • | • |
| Fully Moulded One Piece Large Shower Cubicle | • | • | • | • |
| Sliding Door at Ensuite Entrance | • | • | • | • |
| Side Plastic Toilet or Ceramic Toilet | • | • | • | • |
| Mixer taps Basin , Shower | • | • | • | • |
| Single Internal Towel Rail | • | • | • | • |
| Exhaust Fan Hatch in Shower | • | • | • | • |
| Bathroom Window Above Toilet | • | • | • | • |
| Qflow Exclusive 2.5kg Front Loader Washing Machine | • | • | • | • |
| Kitchen | | | | |
| Recessed Thetford K1540 Dual Fuel Cooktop and Grill | • | • | • | • |
| White Aluminium Kitchen Splashback | • | • | • | • |
| Three way Filter Tap | • | • | • | • |
| Qflow 23Litre Microwave Oven | • | • | • | • |
| Dometic 180 Litre RUES Absorption 6408X | NA | NA | NA | NA |
| Dometic 216 Litre RUES Absorption 8408X | • | • | • | • |
| Slimline RangeHood | • | • | • | • |
| My Coolman 3KW Reverse Cycle Air Conditioner | • | • | • | • |

Specifications

| Model | 19ft11 EW (CD) | 21ft6 (CD) | 22ft6 (CD) | 22ft10 (CD) |
|--|----------------|------------|------------|-------------|
| Living Seating Area | | | | |
| Padding Over Entry Door | | | | |
| Exclusive Designed Seating with side Leg Support | • | • | • | • |
| Heavy Duty Vinyl Flooring available in 5 colours | • | • | • | • |
| Exclusive designed Map / Magazine and Key holder | • | • | • | • |
| Tic Cushion supplied with Telescopic table base | • | • | • | • |
| Bedroom | | | | |
| Exclusive Designed Full Size Bedhead | • | • | • | • |
| Pillow Top Spring Mattress on Slatted Bed Base | • | • | • | • |
| Roof Hatch with lights | • | • | • | • |
| Wardrobe with Bedside nook and bottom drawers | • | • | • | • |
| Bunk Beds | | | | |
| Double or Triple Bunks | • | • | • | • |
| Bed Length | 1850mm | 1850mm | 1850mm | 2285mm |
| Padded Side Support and Ladder | • | • | • | • |
| 240V Single Power point,USB port in Bedside Nook | • | • | • | • |
| Reading Lights per Bunk | • | • | • | • |
| Cabinetry | | | | |
| CNC Cabintery through out the entire van | • | • | • | • |
| Modern Slimline Benchtop (Kitchen and Ensuite) | • | • | • | • |
| White Aluminium Kitchen Splashback | • | • | • | • |
| Gas Door Struts on Overhead Cupdoors | • | • | • | • |
| Cutlery Drawer Insert | • | • | • | • |

| Model | 19ft11 EW (CD) | 21ft6 (CD) | 22ft6 (CD) | 22ft10 (CD) |
|---|----------------|------------|------------|-------------|
| Safety | | | | |
| Breakaway Safety System | | | | |
| Fire Extinguisher | • | • | • | • |
| Smoke Alarm | • | • | • | • |
| Door - External 4 Pin lock with Security Screen | • | • | • | • |
| Accessories | | | | |
| Exclusive Millard BackPack | • | • | • | • |
| Exclusive Millard Umbrella | • | • | • | • |
| Exclusive Millard Pen set | • | • | • | • |
| Exclusive Key Ring | • | • | • | • |
| Exclusive Millard BaseBall Cap | • | • | • | • |



Your ticket to *freedom*
since 1947

Trusted name for 78 years

Unit 1/36-42 Orange Grove Road,
Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans

Your Millard Caravans Dealer:

