




Your ticket to *freedom* since 1947

MFLOW

Mflow 2026 Specifications


The Trusted name for 79 years

Couples Van Layouts




MF158CDQBBS

External Body Length: 5015mm Overall Height: 3030mm
 Overall External Length: 7200mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF178CDQBLL

External Body Length: 5535mm Overall Height: 3030mm
 Overall External Length: 7720mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF187RDQBDS

External Body Length: 5810mm Overall Height: 3030mm
 Overall External Length: 7995mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF194RDQBDS

External Body Length: 6020mm Overall Height: 3030mm
 Overall External Length: 7875mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF199CDQBSC

External Body Length: 6160mm Overall Height: 3030mm
 Overall External Length: 8345mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF20RDQBSC

External Body Length: 6210mm Overall Height: 3030mm
 Overall External Length: 8395mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF21RDQBSC

External Body Length: 6530mm Overall Height: 3030mm
 Overall External Length: 8715mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre



MF22CDQBSC

External Body Length: 6835mm Overall Height: 3030mm
 Overall External Length: 9020mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre




MF226RDQBRC

External Body Length: 6985mm Overall Height: 3030mm
 Overall External Length: 9170mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre

Family Van Layouts

Decal Colours



MF22CDQBLLSB

External Body Length: 6835mm Overall Height: 3030mm
 Overall External Length: 9020mm Overall Width: 2500mm
 End Coupling to Outer Spare Tyre

	WHITE	MFLOW	Silver	MFLOW
 <p>Charcoal Ash</p>				
 <p>Hermes Orange</p>				
 <p>Lotus Green</p>				
 <p>Lake Blue</p>				
 <p>Graphite</p>				

Specifications

Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Door Position Reference	CD	CD	RD	RD	CD	RD	RD	CD	RD	CD
Standard Seating Arrangement	Bench Seat	L-Lounge RD	Dinette	Dinette	Side Club	Side Club	Side Club	Side Club	Rear Club	L-Lounge
Other Seating Options	NA	NA	L-Lounge	L-Lounge	Dinette or L-Lounge	Dinette or L-Lounge	NA	NA	NA	Bench Seat
Captain Chairs <i>Note: On Door Side, Kitchen on Drivers Side</i>	NA	NA	NA	Optional	Optional	Optional	Optional	Optional	Optional	NA
Single Beds	NA	NA	Optional	Optional	Optional	Optional	Optional	Optional	Optional	NA
Dimensions (Nominal) - all dimensions in mm										
External Body Length	5015	5535	5810	6020	6160	6210	6530	6835	6985	6835
External Length (End Coupling to Outer Spare Tyre)	7200	7720	7995	NA	8345	8395	8715	9020	9170	9020
External Length (End Coupling to Outer Bumper Bar : Underslung spare wheel)	NA	NA	NA	7875	NA	NA	NA	NA	NA	NA
External Height (Ground to Top Air Con)	3030	3030	3030	3030	3030	3030	3030	3030	3030	3030
External Width includes all protruding fixtures	2500	2500	2500	2500	2500	2500	2500	2500	2500	2500
Internal Length	4825	5425	5700	5910	6050	6100	6420	6725	6875	6725
Internal Height	2010	2010	2010	2010	2010	2010	2010	2010	2010	2010
Internal Width	2285	2285	2285	2285	2285	2285	2285	2285	2285	2285
ATM	2800kgs	2800kgs	2800kgs	3500kgs	3500kgs	3500kgs	3500kgs	3500kgs	3500kgs	3500kgs
<i>Note : Indicative lengths are standard configuration, any additional options or variations could change these figures</i>										
Construction										
Alko Super Gal Painted Chassis Charcoal	•	•	•	•	•	•	•	•	•	•
Optional Alko Chassis Finish: Galvanized or Enduro Finish	o	o	o	o	o	o	o	o	o	o
Alko Chassis Construction:										
2 Inch Raiser	•	•	•	•	•	•	•	•	•	•
Aframe (steel 6" x 2") C450 Length	1600MM	1600MM	1600MM	1600MM	1600MM	1600MM	1600MM	1600MM	1600MM	1600MM
Main Rail	100mmx50mm	100mmx50mm	100mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm	150mmx50mm
Aluminium Wall Frame	•	•	•	•	•	•	•	•	•	•
Full Piece Composite Roof: 2 Colour Options	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver				

Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Construction										
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frame Structure, routed for electrical cabling	•	•	•	•	•	•	•	•	•	•
Engineered Internal Fibreglass Walls	•	•	•	•	•	•	•	•	•	•
Poly Honey Comb Light Weight Flooring (15mm)	•	•	•	•	•	•	•	•	•	•
42mm One Piece XPS Insulated Aluminium Outer Roof (Internal Finish Semi Gloss White Fibreglass)	•	•	•	•	•	•	•	•	•	•
Aluminium Composite Panel: 2 Colour Options	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver	White or Silver
Cruisemaster XT Coil 2.8T ATM 12" Electric Brakes	•	•	•	NA						
Alko 50mm Tandem Square Gal Axle Leaf Spring suspension 4.0T GTM, 12" Electric Brakes	NA	NA	NA	•	•	•	•	•	•	•
50mm Standard Alko Ball Coupling	•	•	•	•	•	•	•	•	•	•
Exterior										
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•	•	•	•	•	•	•	•
Black Checker Plate, approx 610mm on sides	•	•	•	•	•	•	•	•	•	•
Printed Decals Choice of 5 colours	•	•	•	•	•	•	•	•	•	•
Picnic Table	•	•	•	•	•	•	•	•	•	•
Global Heritage External Awning	•	•	•	• + Mid Support Bracket						
Single Manual Entry Step with LED strip Light	•	•	•	•	•	•	•	•	•	•
Entry Door Grab Handle	•	•	•	•	•	•	•	•	•	•
Two Arm Hot Dip Galvanized Bumper	•	•	•	•	•	•	•	•	•	•
Spare Wheel (x1) and Holder at Rear on Bumper Bar	•	•	•	NA	•	•	•	•	•	•
Underslung Spare Wheel (at the Aframe)	NA	NA	NA	•	NA	NA	NA	NA	NA	NA
Alko 8" Jockey Wheel	•	•	•	•	•	•	•	•	•	•
Full Width Tunnel Boot - Fibreglass Base with Marine Felt Side Walls	•	•	•	•	•	•	•	•	•	•
Tunnel Boot Lighting at Lockable Doors, Both Sides	•	•	•	•	•	•	•	•	•	•
Flat Top Toolbox with 2 Sliders (Non-Opening at Top)	•	•	•	•	•	•	•	•	•	•

Key: • Standard | o Optional | NA Not Available

Specifications

Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Electrical										
Enerdrive K-MFLOW 3N1 (40amp DC2DC + 40amp AC Charger) + Low Battery Cut Out	•	•	•	•	•	•	•	•	•	•
Via Simarine Screen at Entrance Door Plus Digital Switching	•	•	•	•	•	•	•	•	•	•
Enerdrive Lithium Battery - 100AH IP67 Fitted Externally on the Chassis in a Lockable Battery Box	•	•	•	•	•	•	•	•	•	•
Anderson Plug (DC2DC Charging)	•	•	•	•	•	•	•	•	•	•
Two x 200W Solar Panels	•	•	•	•	•	•	•	•	•	•
King Omni Antenna	•	•	•	•	•	•	•	•	•	•
Fusion Panel Stereo Mounted Internally and Externally / 2 Independent Antenna's	•	•	•	•	•	•	•	•	•	•
Downlights with soft LED strip light at Ensuite Mirror.	•	•	•	•	•	•	•	•	•	•
Multi Colour Annex Light - Door side Only	x2	x2	x2	x3	x3	x3	x3	x3	x3	x3
External Power Point and TV Point	•	•	•	•	•	•	•	•	•	•
Safety Dave Single Wireless Reversing Camera	•	•	•	•	•	•	•	•	•	•
24" Smart TV (Van size 15FT8-19FT4) with 12V Socket	•	•	•	•	NA	NA	NA	NA	NA	NA
27" Smart TV (Van size > 19ft9) with 12V Socket	NA	NA	NA	NA	•	•	•	•	•	•
Tunnel Boot lighting at lockable doors, both sides	•	•	•	•	•	•	•	•	•	•
240V Single Power point, 12V Socket, USB port in Bedside Nook	•	•	•	•	•	•	•	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•	•	•	•	•	•	•	•
Reading Lights: Bedroom x2, Living x2	•	•	•	•	•	•	•	•	•	•

Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Plumbing										
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•	•	•	•	•	•	•	•
Two Fresh Water Tank Sensors	•	•	•	•	•	•	•	•	•	•
Externally Mounted Water Pump Under chassis	•	•	•	•	•	•	•	•	•	•
Fresh Water Tanks: 2 x 95 Litres	•	•	•	•	•	•	•	•	•	•
Grey Water Tank: 1 x 100 litres Plus Tank Sensor	o	o	o	o	o	o	o	o	o	o
Mains Tap to A Frame & Mains Pressure	•	•	•	•	•	•	•	•	•	•
Two 9kg Gas Bottles Stored Inside Toolbox on Slider - Drivers Side	•	•	•	•	•	•	•	•	•	•
External Gas Bayonet Fitting	•	•	•	•	•	•	•	•	•	•
Global Gas and Electric Hot Water System	•	•	•	•	•	•	•	•	•	•
Drainage Plugs inside Tunnel Boot - both sides										
Non-Return Valve on the shower, vanity bowl and kitchen sink	•	•	•	•	•	•	•	•	•	•
Thetford C263CS Ceramic Toilet	•	•	•	•	•	•	•	•	•	NA
Sanjo Side Bench Toilet	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Ensuite / Bathroom										
Separate Shower & Toilet	•	•	•	•	•	•	•	•	•	•
Fully Moulded One-Piece Large Shower Cubicle, Acrylic Shower Door	•	•	•	•	•	•	•	NA	•	•
Sliding Door at Ensuite Entrance	•	•	•	•	•	•	•	•	•	•
Thetford Toilet or Sanjo Bench Toilet (Model Dependent)	•	•	•	•	•	•	•	•	•	•
Mixer taps Basin, Shower	•	•	•	•	•	•	•	•	•	•
Single Internal Towel Rail	•	•	•	•	•	•	•	•	•	•
Exhaust Fan Hatch in Shower	•	•	•	•	•	•	•	•	•	•
Bathroom Window Above Toilet	•	•	•	•	•	•	•	•	•	•
Qflow Exclusive 2.5kg Front Loader Washing Machine	NA	NA	NA	•	•	•	•	6kg	•	•
Wall Hung 3.0kg Washing Machine	•	•	•	NA	NA	NA	NA	NA	NA	NA


Key: • Standard | o Optional | NA Not Available

Specifications

Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Kitchen										
Recessed Thetford K1540 Dual Fuel Cooktop and Grill	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Three-way Filter Tap	•	•	•	•	•	•	•	•	•	•
Qflow 23Litre Microwave Oven	•	•	•	•	•	•	•	•	•	•
Dometic 180 Litre RUC Compressor 6508X Dual Hinged	•	•	•	•	NA	NA	NA	NA	NA	NA
Dometic 216 Litre RUC Compressor 8508X Dual Hinged	NA	NA	NA	NA	•	•	•	•	•	•
Slimline Range Hood	•	•	•	•	•	•	•	•	•	•
Global Eberspacher Breezonic Reverse Cycle 3.5KW Air Conditioner	•	•	•	•	•	•	•	•	•	•
Living Seating Area										
Padding Over Entry Door	•	•	•	•	•	•	•	•	•	•
Exclusive Designed Seating	•	•	•	•	•	•	•	•	•	•
Heavy Duty Vinyl Flooring available in 2 colours	•	•	•	•	•	•	•	•	•	•
Exclusive designed Map/Magazine and Key holder	•	•	•	•	•	•	•	•	•	•
Tic Cushion supplied with Telescopic table base	NA	•	NA	NA	•	•	•	•	•	•
Bedroom										
Exclusive Designed Full-Size Bedhead	•	•	•	•	•	•	•	•	•	•
Queen Mattress on Slatted Bed Base with under storage	Corner Bed	•	•	•	•	•	•	•	•	•
Roof Hatch with lights	•	•	•	•	•	•	•	•	•	•
Wardrobe with Bedside Nook and Bottom drawers	•	•	•	•	•	•	•	•	•	•


Model	MF158CDQBBS	MF178CDQBLL	MF187RDQBDS	MF194RDQBDS	MF199CDQBSC	MF20RDQBSC	MF21RDQBSC	MF22CDQBSC	MF226RDQBRC	MF22CDQBLLSB
Range Size : Internal / External	15FT8 / 16FT2	17FT8 / 18FT2	18FT7 / 19FT1	19FT4 / 19FT8	19FT9 / 20FT2	20FT / 20FT4	21FT / 21FT4	22FT / 22FT4	22FT6 / 22FT9	22FT / 22FT4
Bunks										
Double or Triple Bunks	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Sliding Door for Privacy	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Nook with Single Power point plus USB/C charging port	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Padded Side Safety Support Enclosure	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Curtains per Bunk for Privacy	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Reading Light per Bunk	NA	NA	NA	NA	NA	NA	NA	NA	NA	•
Cabinetry										
CNC Cabinetry throughout the entire van	•	•	•	•	•	•	•	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•	•	•	•	•	•	•	•
White Aluminium Kitchen Splashback	•	•	•	•	•	•	•	•	•	•
Gas Door Struts on Overhead Cupboard doors	•	•	•	•	•	•	•	•	•	•
Cutlery Drawer Insert	NA	NA	•	•	•	•	•	•	•	•
Safety										
Breakaway Safety System	•	•	•	•	•	•	•	•	•	•
Fire Extinguisher	•	•	•	•	•	•	•	•	•	•
Smoke Alarm	•	•	•	•	•	•	•	•	•	•
External Door with Security Screen and Manual Operated Blind	•	•	•	•	•	•	•	•	•	•
Accessories										
Trial Mate Jack	•	•	•	•	•	•	•	•	•	•
Caps	•	•	•	•	•	•	•	•	•	•
Backpack	•	•	•	•	•	•	•	•	•	•
Umbrellas	•	•	•	•	•	•	•	•	•	•

Pop Top Van Layouts




MF158CDQBBSP

External Body Length: 4935mm Overall Height: 3150mm
 Overall External Length: 7120mm Overall Width: 2445mm
 End Coupling to Outer Spare Tyre



MF178CDQBLLPT

External Body Length: 5535mm Overall Height: 3150mm
 Overall External Length: 7720mm Overall Width: 2445mm
 End Coupling to Outer Spare Tyre



MF187RDQBDSPT

External Body Length: 5810mm Overall Height: 3150mm
 Overall External Length: 7995mm Overall Width: 2445mm
 End Coupling to Outer Spare Tyre

Specifications - Pop Top

Model	MF158CDQBBSPT	MF178CDQBLLPT	MF187RDQBDSPT
Range Size : Internal / External	15FT8 / 16fFT2	17FT8 / 18FT2	18FT7 / 19FT1
Door Position Reference	CD	CD	RD
Standard Seating Arrangement	Bench Seat	L-Lounge RD Only	Dinette
Other Seating Options	NA	NA	L-Lounge
Captain Chairs <i>Note: On Door Side, Kitchen on Drivers Side</i>	NA	NA	NA
Single Beds	NA	NA	NA
Dimensions (Nominal) - all dimensions in mm			
External Body Length	4935	5535	5810
External Length (End Coupling to Outer Spare Tyre)	7120	7720	7995
External Height (Ground to Top Air Con) - Roof Open	3150	3150	3150
External Height (Ground to Top Air Con) - Roof Closed	2780	2780	2780
External Width includes all protruding fixtures	2445	2445	2445
Internal Length	4825	5425	5700
Internal Height	2120	2120	2120
Internal Width	2230	2230	2230
ATM	2800kgs	2800kgs	2800kgs
<i>Note : Indicative lengths are standard configuration, any additional options or variations could change these figures</i>			
Construction			
Alko Super Gal Painted Chassis Charcoal	•	•	•
Optional Alko Chassis Finish: Galvanized or Enduro Finish	o	o	o
Alko Chassis Construction:			
2 Inch Raiser	•	•	•
Aframe (steel 6" x 2") C450 Length	1550mm	1550mm	1550mm
Main Rail	100mmx50mm	100mmx50mm	100mmx50mm
Aluminium Wall Frame	•	•	•
Full Piece Composite Roof: 2 Colour Options	White or Silver	White or Silver	White or Silver
22mm XPS Moisture Resistant Insulation between Aluminium Wall Frame Structure, routed for electrical cabling	•	•	•
Engineered Internal Fibreglass Walls	•	•	•
Poly Honeycomb Light Weight Flooring (15mm)	•	•	•
One Piece 30mm XPS Insulated Motorised Roof (Internal Finish Semi-Gloss White Fibreglass)	•	•	•
Aluminium Composite Panel: 2 Colour Options	White or Silver	White or Silver	White or Silver
Cruisemaster XT Coil 2.8T ATM 12" Electric Brakes	•	•	•
50mm Standard Alko Ball Coupling	•	•	•

Key: • Standard | o Optional | NA Not Available

Specifications - Pop Top

Model	MF158CDQBBSPT	MF178CDQBLLPT	MF187RDQBDSPT
Range Size : Internal / External	15FT8 / 16fFT2	17FT8 / 18FT2	18FT7 / 19FT1
Exterior			
265/75 R16 Tyres on Silver/Black Rims Includes One Spare Wheel	•	•	•
Black Checker Plate, approx 610mm on sides	•	•	•
Printed Decals Choice of 5 colours	•	•	•
Picnic Table	•	•	•
Global Heritage Electric External Awning	•	•	•
Single Manual Entry Step with LED strip	•	•	•
Entry Door Grab Handle	•	•	•
Two Arm Hot Dip Galvanized Bumper	•	•	•
Spare Wheel (x1) and Holder at Rear on Bumper Bar	•	•	•
Alko 8" Jockey Wheel	•	•	•
Full Width Tunnel Boot - Fibreglass base with Marine Felt Side Walls	•	•	•
Tunnel Boot lighting at lockable doors, both sides	•	•	•
Flat Top Toolbox with 2 Sliders (Non-Opening at Top)	•	•	•
Electrical			
Enerdrive K-MFLOW 3N1 (40amp DC2DC + 40amp AC Charger) + Low Battery Cut Out	•	•	•
Via Simarine Screen at Entrance Door	•	•	•
Enerdrive Lithium Battery - 100AH IP67 Fitted Externally on the Chassis in a Lockable Battery Box	•	•	•
Anderson Plug	•	•	•
Two x 200W Solar Panels	•	•	•
King Omni Antenna	•	•	•
Fusion Panel Stereo Mounted Internally and Externally / 2 Independent Antenna's	•	•	•
Downlights with soft LED strip light in Ensuite.	•	•	•
Multi Colour Annex Light - Door side Only	x2	x2	x2
External Power Point and TV Point	•	•	•
Safety Dave Single Wireless Reversing Camera	•	•	•
24" Smart TV (Van size: 15ft8-18ft7) with 12V Socket	•	•	•
Tunnel Boot lighting at lockable doors, both sides	•	•	•
240V Single Power point, USB port in Bedside Nook	•	•	•
Double Power Points: Living Seating Plus USB, Kitchen and Ensuite	•	•	•
Reading Lights: Bedroom x2, Living x2	•	•	•

Model	MF158CDQBBSP	MF178CDQBLLPT	MF187RDQBDSPT
Range Size : Internal / External	15FT8 / 16fFT2	17FT8 / 18FT2	18FT7 / 19FT1
Plumbing			
Multi Lockable Water Filler Box with Fresh Water Tank Change Over Valve	•	•	•
Two Fresh Water Tank Sensors	•	•	•
Externally Mounted Water Pump Under chassis	•	•	•
Fresh Water Tanks: 2 x 95 Litres	•	•	•
Grey Water Tank: 1 x 100 litres Plus Tank Sensor	o	o	o
Mains Tap to A Frame & Mains Pressure	•	•	•
Two 9kg Gas Bottles Stored Inside Toolbox on Slider - Drivers Side	•	•	•
External Gas Bayonet Fitting	•	•	•
Global Gas and Electric Hot Water System	•	•	•
Non-Return Valve on the shower, vanity bowl and kitchen sink	•	•	•
Drainage Plugs inside Tunnel Boot - both sides	•	•	•
Thetford C263CS Ceramic Toilet	•	•	•
Ensuite / Bathroom			
Separate Shower & Toilet	•	•	•
Large Shower Cubicle, Acrylic Shower Door	•	•	•
Sliding Door at Ensuite Entrance	•	•	•
Thetford C263CS Ceramic Toilet	•	•	•
Mixer taps Basin, Shower	•	•	•
Single Internal Towel Rail	•	•	•
Exhaust Fan Hatch in Shower	•	•	•
Bathroom Window Above Toilet	•	•	•
Wall Hung 3.0kg Washing Machine	•	•	•
Kitchen			
Recessed Thetford K1540 Dual Fuel Cooktop and Grill	•	•	•
White Aluminium Kitchen Splashback	•	•	•
Three way Filter Tap	•	•	•
Qflow 23Litre Microwave Oven	•	•	•
Dometic RCD10.5XES DH Compressor Dual Hinge Fridge - 200 Litre	•	•	•
Slimline Range hood	•	•	•
Global Eberspacher Breezonic Reverse Cycle 3.5KW Air Conditioner - Roof Mounted	•	•	•

Specifications - Pop Top

Model	MF158CDQBBSP	MF178CDQBLLPT	MF187RDQBDSPT
Range Size : Internal / External	15FT8 / 16fFT2	17FT8 / 18FT2	18FT7 / 19FT1
Living Seating Area			
Padding Over Entry Door	•	•	•
Exclusive Designed Seating	•	•	•
Heavy Duty Vinyl Flooring available in 2 colours	•	•	•
Exclusive designed Map/ Magazine and Key holder	•	•	•
Tic Cushion supplied with Telescopic table base	NA	•	NA
Bedroom			
Exclusive Designed Full-Size Bedhead	•	•	•
Queen Mattress on Slatted Bed Base with under storage	Corner Bed	•	•
Roof Hatch with lights	•	•	•
Wardrobe with Bedside nook and bottom drawers	•	•	•
Cabinetry			
CNC Cabinetry throughout the entire van	•	•	•
Modern Slimline Benchtop (Kitchen and Ensuite)	•	•	•
White Aluminium Kitchen Splashback	•	•	•
Gas Door Struts on Overhead Cupboard doors	•	•	•
Cutlery Drawer Insert	NA	NA	•
Safety			
Breakaway Safety System	•	•	•
Fire Extinguisher	•	•	•
Smoke Alarm	•	•	•
External Door with Security Screen and Manual Operated Blind	•	•	•
Accessories			
Trial Mate Jack	•	•	•
2 Caps	•	•	•
Backpack x2	•	•	•
2 Umbrellas	•	•	•

Why Buy A Millard?

1. Trusted Name for 79 years
2. **RVMAP accredited** and adheres to relevant Australian Design Rules and Compliance Regulations
3. RVSA (Road Vehicle Safety Act) Compliant
4. Alko Engineered Chassis made from 100% Australian Steel
5. 42mm One Piece XPS Composite Roof with External Aluminium Skin
6. Aluminium Frame / Aluminium Cladded – *No wooden frame to rot*
7. **Fully Insulated walls** with 22mm XPS Moisture Resistant Foam
8. Cruisemaster Suspension (Single Axle) / Alko Leaf Spring (Tandem Axle)
9. 16 Inch Wheels - Standard
10. 12 Inch Electric Brakes - Standard
11. Power by **Enerdrive – 100%** (Power Management System and Lithium Battery)
12. Water Pressure Tested for Leaks
13. **Australian Made, Australian Owned**

*If you haven't considered a Millard,
then you haven't done your homework!*



Your ticket to *freedom*
since 1947

Unit 1/36-42 Orange Grove Road,
Warwick Farm NSW 2170

02 9829 2055

info@millardrv.com.au

millardcaravans.com.au

@millardcaravans     

The Trusted name for 79 years

Your Millard Caravans Dealer: